

TV Antennas

IK-FLASHD	1782: FLASHD: Quick Assembly Triple UHF Array mounting. G=17.5 dB in GREEN	110.00
IK-INUF09	1739: INU-F09: UHF YAGI Antenna Ch 21-69. G=9dB. F Connector	37.40
IK-INUF11	1740: INU-F11: UHF YAGI Antenna Ch 21-69. G=11dB. F Connector	41.80

Masthead Amplifiers - Super Low Noise, Fully Shielded

IK-SBA100	3398: SBA-100: Mast-Head Preamp: 1 input.UHF(40dB).	44.00
IK-SBA110	3391: SBA-110: Mast-Head Preamp: 1 input. VHF(30dB)/UHF(40dB)	49.50
IK-SBA201	1216: SBA-201: Mast-Head Preamp: Switchable 1/2 inputs & FM, VHF(16dB)/UHF(23dB).	44.00
IK-SBA210	3399: SBA-210: Mast-Head Preamp: 2 Inputs.VHF(30dB)/UHF(40dB).	49.50
IK-SBA373	1219: SBA-373: Mast-Head Preamp: 3 inputs.VHF(30dB) -UHFIV(36dB) -UHFV(36dB). Band-pass filters	75.90
IK-MBS200	3397: MBS-200: Mast-Head Preamp: 2 Inputs. VHF(-0,5dB) UHF(30dB) DC Pass	37.40

DC Plug Packs (Suit Mast-Head Amps)

IK-PS02DCF	50603: PS02DCF: Plug Pack DC Output including F type injector for Mast-Head Preamp	20.90
IK-PS02DCP	50602: PS02DCP: Plug Pack DC Output including PAL type injector for Mast-Head Preamp	20.90

Distribution Amplifiers

IK-ATP302	3488: ATP-302: Apartment Amplifier 2 outputs. G=24-13dB. 111/100dBµVolt. Full band	62.70
IK-ATP332	3509: ATP-332: Apartment Amplifier 1 Input/2 Out (G:V=14,U=24 ADJ:V=-16,U=-12) 105dB..Mains Powered	46.20
IK-CBA201	2140: CBA-201: Multiband Distribution Amplifier 1 Input.(G:V=31,U=33dB) 106dBµVolt	117.70
IK-CBA204S	2141: CBA-204S: Multiband Distribution Amplifier 4 Inputs BI-FM-BIII-UHF (G:30-32dB) 106dBµVolt	130.90

HIGH POWER MULTICHANNEL Distribution Amplifiers

IK-CBS501	3455: CBS-501: Multiband Distribution Amplifier 1 Input (G: V=35,U=34dB) 112dBµVolt	151.80
IK-CBS534	3456: CBS-534: Multiband Distribution Amplifier 5 Inputs BI/BIII-FM-BIII-2xUHF (34, 12, 35, 34, 34dB) 112dBµVolt	185.90
IK-CBS734	3457: CBS-734: Multiband Distribution Amplifier 5 Inputs BI/BIII-FM-BIII-2xUHF (43, 19, 43, 44, 44dB) 117dBµVolt	234.30
IK-CBS744	3458: CBS-744: Distribution Amp 5 inputs BI/BIII-FM-3xUHF (39-19-41-41-30dB) 117dBµVolt	234.30
IK-CBS901	3453: CBS-901: 1 input VHF-UHF.(40dB) 120dBµVolt	282.70
IK-CBS934	3451: CBS-934: Multiband Distribution Amplifier 5 Inputs BI/BIII-FM-BIII-2xUHF (46, 27, 46, 45, 45dB) 120dBµVolt	330.00

Mini Multiband Amplifiers

IK-CBM113	3543: CBM-113: Mini-Multiband Amplifier 3 Inputs VHF-UHF-EXT Req.Figure 8 Lead	113.30
IK-CBM115	3544: CBM-115: Mini-Multiband Amplifier 5 Input UHF Split 21/44-44/69	82.50
IK-CBM125	3543: CBM-125: Mini-Multiband Amplifier 5 Inputs BI/FM-BIII-DAB-UHF-UHF-EXT Req.Figure 8..Lead	130.90

PROGRAMMABLE Mini Headend Amplifier

IK-ONE123	2846: ONE 123: Programable Headend	1100.00
-----------	------------------------------------	---------

HIGH POWER LINE EXTENDER / REPEATER AMPLIFIER

IK-TAE581	3201: TAE-581: Repeater/Line Extender Amplifier Active Return Path: (RW 5-30Mhz)/G-35dB/124dBµVolt.	481.80
IK-TAE733	3631: TAE-733: Repeater/Line Extender Amplifier (RW5-30Mhz)/G-30dB/118dBµVolt	275.00
IK-TAE736	3192: TAE-736: Repeater/Line Extender Amplifier (RW 5-66Mhz).G=30dB.230 Volt.118dBµVolt.	275.00
IK-TAE736AR	3210: TAE-736AR: Repeater/Line Extender Amplifier (Active RW 5-66Mhz).G=30dB.230 Volt.118dBµVolt.	316.80

SATELLITE LINE EXTENDER / REPEATER AMPLIFIER

IK-AFI840	1164: AFI-840: SAT-IF combiner / amplifier	192.50
IK-SAE912	3500: SAE-912: Line extender. IF-Terrestrial.35 MHz R.W.	467.50
IK-SAE920	3507: SAE-920: Line extender. Dual IF-Terrestrial. Mains	467.50

SZB Digital/Analogue Channel Amplifiers

IK-SZB119	3151: SZB-119: BI SCA Amplif.(55dB) .Output level 2x126dBµVolt."F" connector	179.30
IK-SZB139	3152: SZB-139: BIII SCA Aamplif.(55dB). Output level 2x126dBµVolt."F" connector	179.30
IK-SZB148	2246: SZB-148: UHF SCA Amplif.(60dB). Digital or Analogue adjacent channel	179.30
IK-SZB190	1346: SZB-190: IF amplifier. 950MHz(33dB)-2150MHz(40dB)	289.30
IK-SZB212	2228: SZB-212: Switching Power Supply 24Volt.-2A	261.80
IK-SZBMod	52073: SZB-MOD: Modification of Standard SZB Amplifiers for Dual CHannel	82.50
IK-REDFs	37109: REDFS: Red UHF F shorting Cap for SZB	3.30
IK-PZB453	2247: PZB-453: F-F (45,3) coaxial bridge - SZB	7.70
IK-BAS913	50553: BAS913: Expandable, Adaptable Base Plate for three modules/SZB	62.70
IK-BAS919	50554: BAS-919: Expandable, Adaptable / Rack Mountable Base Plate for 9 SZB modules	82.50

CLASS A HEADEND PRODUCTS

QPSK-COFDM-QAM Transmodulators - Fully Agile

IK-SRF011	4084: SRF-011: Class A Transmodulator - FTA QPSK > Agile VSB Analogue	TBA
IK-SRC011	4092: SRC-011: Class A Transmodulator - FTA+CI QPSK > Agile VSB Analogue	TBA
IK-TRF011	4085: TRF-011: Class A Transmodulator - COFDM > Agile VSB Analogue	TBA
IK-MDI900	4094: MDI 900: Class A Transmodulator - QPSK > QAM, NIT, Remote controlling...IKUSUP	1237.50
IK-MTI900	4098: MTI-900: QPSK-COFDM with CI Transmodulator	3781.80

I-Pack "Pre Built" Transmodulator Kits

IK-SAVANNA	4445: SAVANNA: I-Pack Kit Pre-Built 6 x QPSK > Agile VSB Analogue, P/Sully & Base	TBA
IK-SAVANNA+	4445: SAVANNA: I-Pack Kit Pre-Assem. 6 x QPSK+CI > Agile VSB Analogue, P/Sully & Base	TBA
IK-TRAVEL	4442: TRAVEL: I-Pack Kit Pre-Built 6 x COFDM > Agile UHF VSB Analogue, P/Supply & Base	4056.80
IK-TRAVEL/V	4442-VHF: TRAVEL: I-Pack Kit Pre-Built 6 x COFDM > Agile VHF VSB Analogue, P/Supply & Base	4056.80

Channel Processors & Regenerators - Fully Agile

IK-TPC010A	3651: TPC-010A: Class A Channel Processor (Analogue).Agile 47-862 MHz.	632.50
IK-TPC010D	3842: TPC-010D: Class A Channel Processor (Digital) Agile 47-862 MHz.	729.30
IK-TPC110	3843: TPC-110: Class A Channel Processor Agile 47-862 MHz. with IKUSUP	949.30
IK-TGT100	4026: TGT-100: Class A COFDM > COFDM Regenerator IKUSUP	2475.00

Modulators VSB - Fully Agile

IK-MCP411	3826: MCP-411: Class A VSB Agile Mono Modulator 47-862 MHz. B/G	433.40
IK-MCP811	3851: MCP-811: Class A VSB Twin Agile Mono Modulator 47-862 MHz. B/G	770.00
IK-MCP412	3829: MCP-412: Class A VSB Agile Stereo Modulator 47-862 MHz. B/G	605.00

IPTV Streamers

IK-SNS100	5100: SNS-100: Class A Satellite QPSK to IP Streamer	2062.50
IK-TNS100	5105: TNS-100: Class A Terrestrial COFDM to IP Streamer	2337.50
IK-BNS200	5105: BNS-200: Class A IP Streamer TWIN Composite AV (2) > IP	TBA
IK-IPR110	5108: IPR-110: IP Set Top Box	TBA

Power Supplies, Accessories & Mounting

IK-CFP500	4429: CFP-500: Class A Power Supply (12Vdc @ 5.3 Amp /24Vdc @ 60mA).	316.80
IK-CFP507	4439: CFP-507: Class A Power Supply (12Vdc @ 7.0 Amp /24Vdc @ 60mA).	399.30
IK-CFP700	4401: CFP-700: Class A Power Supply (12/13/18/24 Vdc./0-22KHz.).	426.80
IK-CFP702	4447: CFP-702: Class A Redundant Power Supply (12/13/18/24 Vdc./0-22KHz.).	632.50
IK-AMX400	4433: AMX-400: Class A Active Combiner 4 Inputs (45-860 MHz)	344.30
IK-HPA025	4428: HPA-025: Class A Launch Amplifier Output level 125 dBμVolt.Low Gain	481.80
IK-HPA120	4426: HPA-120: Class A Launch Amplifier Output Level 120 dBμVolt.	302.50
IK-HPA125	4427: HPA-125: Amplifier module. Output level 125 dBμVolt	467.50
IK-HMS120	4435: HMS-120: Class A Headend Control unit with SNMP Protocol	2612.50
IK-UNIBAS3	50557: UNIBAS3: Expandable Universal Base Plate for three modules	48.40
IK-UNIBASE	50565: UNIBASE: Module Base Plate Kit for nine modules inc. Earth Strap	96.80
IK-ABR909L	50558: ABR909L: Heavy Gauge 19" Base Plate Adapter Kit for UNIBAS	48.40
IK-SPI300	4070: SPI-300: Programming Controller	481.80

FOXTEL-AUSTAR Approved - Multiswitches & Accessories

IK-MT0204	52100: MT-0204: Multiswitch TWO Input / 4 Output, Foxtel/Austar App.	48.40
IK-MT0208	52101: MT-0208: Multiswitch TWO Input / 8 Output, Foxtel/Austar App.	69.30
IK-MT0304	52102: MT-0304: Multiswitch 3 Input / 4 Output, Foxtel/Austar App	TBA
IK-MT0308	52103: MT-0308: Multiswitch THREE Input /8 Output, Foxtel/Austar App.	75.90
IK-MT5WHEAMP	52117: MT-5WHEAMP: SMATV 5 Wire Head Amplifier, Foxtel/Austar App.	206.80
IK-MT0508	52105: MT-0508: Multiswitch 5 Input / 8 Output, Foxtel/Austar App.	151.80
IK-MT0512	52106: MT-0512: Multiswitch 5 Input / 12 Output, Foxtel/Austar App.	192.50
IK-MT0516	52107: MT-0516: Multiswitch 5 Input / 16 Output, Foxtel/Austar App.	220.00
IK-PS1816DC	50608: PS1816DC: MEPS 18VDC - 1.6Amp SMPS with F Power connection	62.70
IK-PS1215SAT	50609: PS1215SAT: 12VDC 1.5 Amp SMPS fitted with Power Injector	82.50
IK-MT5W2SP	52108: MT-5W2SP: Foxtel/Austar 5 Wire - 2 Way Splitter	62.70
IK-MT5W4SP	52109: MT-5W4SP: Foxtel/Austar 5 Wire - 4 Way Splitter	96.80
IK-MT5W10DC	52110: MT-5W10DC: Coupler 5 Wire 10dB, Foxtel/Austar App.	62.70
IK-MT5W15DC	52111: MT-5W15DC: Coupler 5 Wire 15dB, Foxtel/Austar App.	62.70
IK-MT5W20DC	52112: MT-5W20DC: Coupler 5 Wire 20dB, Foxtel/Austar App.	62.70
IK-MTDCFTRM	52115: MT-DCFTRM: F type DC Isolated Terminator. Min Qty - Pack of 10, Foxtel/Austar App.	3.30
IK-MTDCFBLOCK	52114: MT-DCFBLOCK: Foxtel/Austar App. - F type DC Blocker. Min Qty - pack of 10	3.30
IK-MTQFMFMC	52113: MT-QFMFMC: Quick Connector F Male to F Male Min Qty - Pack of 10, Foxtel/Austar App	2.20

Modulator - Stand Alone

IK-MAW200	3029: MAW-200: VHF-UHF Agile AV to RF Modulator with display	124.30
-----------	--	--------

Diplexer

IK-PDPXVUF	50905: PDPXVUF: F type VHF-UHF 265-470 MHz high Isolation diplexer	20.90
------------	--	-------

Coupler - TAPS 2300MHz

IK-UDL115	3227: UDL-115: 1-Way shielded tap-off (15dB)(2300Mhz)	7.70
IK-UDL120	3228:UDL-120: 1-Way shielded tap-off (20dB)(2300Mhz)	7.70
IK-UDL210	3244: UDL-210: 2-Way shielded tap-off (10dB)(2300Mhz)	8.80
IK-UDL215	3245: UDL-215: 2-Way shielded tap-off (15dB)(2300Mhz)	8.80
IK-UDL220	3232: UDL-220: 2-Way shielded tap-off (20dB)(2300Mhz)	8.80
IK-UDL225	3233: UDL-225: 2-Way shielded tap-off (25dB)(2300Mhz)	8.80
IK-UDL410	3235: UDL-410: 4-Way shielded tap-off (10dB)(2300Mhz)	9.90
IK-UDL415	3236: UDL-415: 4-Way shielded tap-off (15dB)(2300Mhz)	9.90
IK-UDL420	3237: UDL-420: 4-Way shielded tap-off (20dB)(2300Mhz)	9.90
IK-UDL425	3238: UDL-425: 4-Way shielded tap-off (25dB)(2300Mhz)	9.90

Sokitters

IK-UDU205	5350: UDU-205: 2-Way splitter (5-2450Mhz) PP on all ports	5.50
IK-UDU307	5351: UDU-307: 3-Way splitter (5-2450Mhz) PP on all ports	7.70
IK-UDU408	5352: UDU-408: 4-Way splitter (5-2450Mhz) PP on all ports	8.80
IK-UDU408	5352: UDU-408: 4-Way splitter (5-2450Mhz) PP on all ports	8.80
IK-UDU612	5353: UDU-612: 6-Way splitter (5-2450Mhz) PP on all ports	9.90
IK-UDU813	5354: UDU-813: 8-Way splitter (5-2450Mhz) PP on all ports	11.00